

## Catalog

**Applied Filters:**

Scope:	Default Store View
Categories:	Misc Items > Lot Disposal
Seller:	SUDARSHAN CHEMICAL INDUSTRIES LIMITED (ppbrahme@sudarshan.com)
Warehouse:	Sudarshan Chemical Roha Site (W20249386602278)
Status:	Enabled
Display Out of Stock Products:	No

**SKU:** DCR0105024**SS304 Dust collector with 24 num bags****Stock:** 1**Categories:** Misc Items, Misc Items > Lot Disposal**Description:** MOC- SS304, Bag Qty- 24 Nos**Ageing:** 2.68 years**Sold By:** SUDARSHAN CHEMICAL INDUSTRIES LIMITED**SKU:** CKKC902000**Connecting Rod with Bolt<br/> P.N-0820407150 KC9.3****Stock:** 3**Categories:** Misc Items, Misc Items > Lot Disposal**Description:** Connecting Rod with Bolt, P.N-0820407150 KC9.3, **Make:** KIRLOSKAR**Ageing:** 0.32 years**Sold By:** SUDARSHAN CHEMICAL INDUSTRIES LIMITED**SKU:** XRICMK8046**K2 Attachment Alloy steel Z.C.P90 KTI****Stock:** 69**Categories:** Misc Items, Misc Items > Lot Disposal**Description:** ATLAS INDUSTRIES**Ageing:** 0.07 years**Sold By:** SUDARSHAN CHEMICAL INDUSTRIES LIMITED**SKU:** EE02200410**KTL 358 Agitator mechanical seal 110mm****Stock:** 1**Categories:** Misc Items, Misc Items > Lot Disposal**Description:** Pneucon Valve Size- 65mm, **Make:** Pneucon Valves**Ageing:** 1.8 years**Sold By:** SUDARSHAN CHEMICAL INDUSTRIES LIMITED



**SKU:** DFD1000600

**Filter Press Tie Bar MS 3' X 3'**

**Stock:** 1

**Categories:** Misc Items, Misc Items > Lot Disposal

**Description:** Make: TECHNO FILTERS PVT. LTD, MOC- MS, L- 426.72 cm, W-26.67cm, T- 4cm

**Ageing:** 8.08 years

**Sold By:** SUDARSHAN CHEMICAL INDUSTRIES LIMITED



**SKU:** XDYNOMIL13

**Cover Ring S.S.Hardened N.P/PN.8364 KD25**

**Stock:** 2

**Categories:** Misc Items, Misc Items > Lot Disposal

**Description:** SS, Product N- 149437, Dim- d092/040x030, **Make:** Willy A Dachofen AG

**Ageing:** 2.22 years

**Sold By:** SUDARSHAN CHEMICAL INDUSTRIES LIMITED



**SKU:** CND0105065

**Shell & Tube Glass condenser 6.5 m2**

**Stock:** 1

**Categories:** Misc Items, Misc Items > Lot Disposal

**Description:** MOC- Glass, HTA- 6.2 m2

**Ageing:** 3.39 years

**Sold By:** SUDARSHAN CHEMICAL INDUSTRIES LIMITED



**SKU:** CND0105061

**Shell & Tube Glass condenser 6 m2**

**Stock:** 1

**Categories:** Misc Items, Misc Items > Lot Disposal

**Description:** MOC- Glass, HTA- 6 m2

**Ageing:** 3.39 years

**Sold By:** SUDARSHAN CHEMICAL INDUSTRIES LIMITED



**SKU:** DFD50M4500

**Recess plates 1500x1500 for Filter Press**

**Stock:** 7

**Categories:** Misc Items, Misc Items > Lot Disposal

**Description:** MOC-PP, Size- 1.5m x 1.5m Air driven hydraulic closing pump with pressure gauge on semi-automatic units 2-stage hand pump on manual units Polypro gasketed recessed plates for leak-free operation, Air blow manifold piping for air drying filter cakes, Air line filter, oiler, regulator, and gauge on semi-automatic units, Heavy-duty hydraulic cylinder for opening and closing of press, Stainless steel protective strip on top of side rails, Stainless steel discharge and inlet manifold

**Ageing:** 2.9 years

**Sold By:** SUDARSHAN CHEMICAL INDUSTRIES LIMITED



**SKU:** XKPE001780

**FRP Fan Blade D-1780 Encon E Glass Epoxy**

**Stock:** 1

**Categories:** Misc Items, Misc Items > Lot Disposal

**Description:** Material: High-grade E-Glass Epoxy, which offers excellent strength and durability, Design: Aerodynamically optimized for high efficiency and low noise, Performance: Efficiency: 81% - 91.4%, significantly higher than conventional designs1, Noise Level: Low noise levels due to the smooth surface and optimized design, Vibration: Minimal vibration, enhancing the longevity of the fan and associated equipment1, Temperature Resistance: Can withstand temperatures ranging from -60°C to 230°C1.,

**Make:** ENCON

**Ageing:** 2.76 years

**Sold By:** SUDARSHAN CHEMICAL INDUSTRIES LIMITED



**SKU:** M115CK0010

**Double Mech.Seal MSI-AG900 50mm,R-308**

**Stock:** 1

**Categories:** Misc Items, Misc Items > Lot Disposal

**Description:** Type- MSI-AG900, Size- 50mm MSI-AG900 is designed for handling severe services, including products emitting highly toxic vapors during the reaction process. Here are some key specifications:., Seal Type: MSI-AG900, Shaft Diameter: 30mm to 150mm, Pressure Range: Full vacuum to 25 bar, Temperature Range: 60°C to 200°C, Material of Construction: Seal Body: AISI 304, AISI 316, Hastelloy C, Alloy-20, Face Material: Carbon, Silicon Carbide, Ceramic (99.5%), Tungsten Carbide, Elastomers: Viton, Aflas,...

**Make:** Mech Seals Pvt Ltd

**Ageing:** 3.23 years

**Sold By:** SUDARSHAN CHEMICAL INDUSTRIES LIMITED



**SKU:** CND0107024

**Shell & Tube SS 316 Condenser 2 m2**

**Stock:** 1

**Categories:** Misc Items, Misc Items > Lot Disposal

**Description:** MOC: SS316, HTR- 2m2, T-150°C, P- 6 kg/cm2, **Make:** Kinam

**Ageing:** 2.81 years

**Sold By:** SUDARSHAN CHEMICAL INDUSTRIES LIMITED



**SKU:** XRKTICC619

**Delta Oil Removal Filter 2" 150 # Sorf**

**Stock:** 2

**Categories:** Misc Items, Misc Items > Lot Disposal

**Description:** Materials of Construction: Head 1/4 - 3: A380.0 Cast Aluminum Anodized Bowl 1/4 - 3: A380.0 Cast Aluminum Anodized, Internal Separator Components: A380.0 Cast Aluminum Anodized, Seals: Fluorocarbon (FKM) Standard Manual Drain: Brass

**Ageing:** 1.85 years

**Sold By:** SUDARSHAN CHEMICAL INDUSTRIES LIMITED



**SKU:** CCCPC512SK

**Flexible Pipe 9096909600 CPC50 chicago a**

**Stock:** 1

**Categories:** Misc Items, Misc Items > Lot Disposal

**Description:** Nominal Pressure at Full Flow (PSI): CPC 50: 125 PSI, Actual Flow (cfm) (as per ISO 1217:1996): CPC 50: 152 cfm, Motor Power (hp): CPC 50: 50 hp, Discharge Orifice Diameter (NPT): CPC 50: 1.25", Sound Level at 3.3 ft (as per ISO 2151 + 3 dB(A)): CPC 50: 75 dB(A), Capacity (gal): CPC 50: 5.02 gal, Carryover (ppm): CPC 50: 3 ppm, Dimensions (L x W x H): All models: 43.34" x 54.77" x 60.87", Approximate Weight: CPC 50: 1576 lbs, **Make:** Atlas Copco

**Ageing:** 3.24 years

**Sold By:** SUDARSHAN CHEMICAL INDUSTRIES LIMITED



**SKU:** EE02200158

**Mechanical Seal 150MM RVD DPP NonDrive End**

**Stock:** 1

**Categories:** Misc Items, Misc Items > Lot Disposal

**Description:** Mechanical Seal 150MM RVD DPP NonDrive End

**Ageing:** 1.96 years

**Sold By:** SUDARSHAN CHEMICAL INDUSTRIES LIMITED



**SKU:** M2210L1400

**Mech.Seal MSI-ANF910 140mm ,ANF03 SOLDYE**

**Stock:** 1

**Categories:** Misc Items, Misc Items > Lot Disposal

**Description:** Mech.Seal MSI-ANF910 140mm ,ANF03 SOLDYE

**Ageing:** 2.46 years

**Sold By:** SUDARSHAN CHEMICAL INDUSTRIES LIMITED



**SKU:** CAG7500156

**AIRKOM AGENCIES (I) PVT LTD GA 75, ID-245**

**Stock:** 2

**Categories:** Misc Items, Misc Items > Lot Disposal

**Description:** The GA75/500CFM models are fitted with an oil-injected rotary screw type air compressor, Powered by :- The IE3/NEMA Premium efficiency electrical motor, which is designed for continuous operation in harsh environments., **Make:** AIRKOM AGENCIES (I) PVT LTD

**Ageing:** 4.42 years

**Sold By:** SUDARSHAN CHEMICAL INDUSTRIES LIMITED



**SKU:** DFD9007100

**P.P.Filter Plate Size 1mX 1m Washing**

**Stock:** 8

**Categories:** Misc Items, Misc Items > Lot Disposal

**Description:** MOC :- PP, Size- 1m x 1m

**Ageing:** 5.05 years

**Sold By:** SUDARSHAN CHEMICAL INDUSTRIES LIMITED



**SKU:** DFD9007200

**P.P.Filter Plate Size 1mX 1m Non Washing**


**Stock:** 8

**Categories:** Misc Items, Misc Items > Lot Disposal

**Description:** MOC :- PP, Size- 1m x 1m

**Ageing:** 5.05 years

**Sold By:** SUDARSHAN CHEMICAL INDUSTRIES LIMITED



**SKU:** EE00500012

**Seal Ring Silicon Carbide For Dynamill**

**Stock:** 4

**Categories:** Misc Items, Misc Items > Lot Disposal

**Description:** SC, Product :- N- 234424, Dim :- d089.6/076x015., **Make:** Willy A Dachofen AG

**Ageing:** 2.5 years

**Sold By:** SUDARSHAN CHEMICAL INDUSTRIES LIMITED



**SKU:** EE02900061

**Concentric Reducer 12"X8" SS304**

**Stock:** 4

**Categories:** Misc Items, Misc Items > Lot Disposal

**Description:** ASTM :- SA 234, Grade :- B, Concentric type :- weld on Dimensions conform to ASME B16.9, Nominal pipe size of ends :- 12 and 8, Length :- 8, Approximate ship weight :- 30.5 lbs

**Ageing:** 2.31 years

**Sold By:** SUDARSHAN CHEMICAL INDUSTRIES LIMITED



**SKU:** INSMH00138

**Sensor Cable AK9/10m for mettler pH**

**Stock:** 3

**Categories:** Misc Items, Misc Items > Lot Disposal

**Description:** The appropriate cable to connect the InPRO ISM to S8, SG 68 or SG 78 meter, The right sensor for every application, METTLER TOLEDO pH and other sensors

**Ageing:** 4.6 years

**Sold By:** SUDARSHAN CHEMICAL INDUSTRIES LIMITED



**SKU:** INSMHS0793

**Photo Electric Air flow meter**

**Stock:** 1

**Categories:** Misc Items, Misc Items > Lot Disposal

**Description:** Rated power output 2.5W-5W-10W at 100V, Waterproof level of IP66, Line input 100V or 70V by cable tail with waterproof gland. Aluminum enclosure and stainless metal bracket

**Ageing:** 5.21 years

**Sold By:** SUDARSHAN CHEMICAL INDUSTRIES LIMITED



**SKU:** NS32000100

**100 Lit Diaphragm Tank for const Pr Syst**

**Stock:** 2

**Categories:** Misc Items, Misc Items > Lot Disposal

**Description:** 100-liter diaphragm tank designed for constant pressure systems , Type :- Diaphragm Tank , Maximum Working Pressure: 100 psi (pounds per square inch), Construction:Lightweight double-drawn steel, Corrosion-resistant polymer base, Butyl rubber parabolic diaphragm, Projection-welded air valve, Base :-Made of steel, Rotates for easy alignment to pipe connection, Slotted and notched for air flow and reduced condensation build-up, **Make:** HALWARD AQUA SYSTEMS

**Ageing:** 7.34 years

**Sold By:** SUDARSHAN CHEMICAL INDUSTRIES LIMITED



**SKU:** O085130400

**Oil Seal 85 X 130 X 12 Metallic**

**Stock:** 3

**Categories:** Misc Items, Misc Items > Lot Disposal

**Description:** Oil seal with the dimensions :- 85 mm (shaft diameter) by 130 mm (housing bore) by 12 mm (width), Design: HMSA10, Sealing Lip Material: Nitrile rubber (NBR), Outside Diameter: Rubber with metal reinforcement, Number of Sealing Lips: 2 Spring Loaded: Yes, Maximum Operating Temperature: 100°C, Minimum Operating Temperature : -40°C, Permissible Circumferential Speed: 9.99 m/s, Rotational Speed: 2,220 r/min

**Ageing:** 4.38 years

**Sold By:** SUDARSHAN CHEMICAL INDUSTRIES LIMITED



**SKU:** PAAKP60230

**PVDF Back Plate for Pump PVDF 60 CT**

**Stock:** 1

**Categories:** Misc Items, Misc Items > Lot Disposal

**Description:** PVDF pumps come in a back-pull-out, They have flanges with through holes meeting chemical industry requirements, Available in 1440 and 2900 rpm, with flow rates up to 400 m<sup>3</sup>/hr and heads up to 100 meters, The modular system ensures economical parts stocking, External corrosion protection with epoxy paints, Each pump is tested and comes with a performance test report, Applications :-PVDF pumps are widely used in chemical processing, steel industries, and other corrosive liquid handling..

**Ageing:** 4.13 years

**Sold By:** SUDARSHAN CHEMICAL INDUSTRIES LIMITED



**SKU:** PAAQC60220

**Casing PP CPP 60 P NO.1101 Antico Pump**

**Stock:** 2

**Categories:** Misc Items, Misc Items > Lot Disposal

**Description:** Volute Casing :-Top centerline discharge, Self-venting, Formed out of injection-molded polypropylene (PP), Suitable for pumping large quantities of corrosive media, Impeller :-Precision-molded, semi-open construction, Large contoured flow passages for efficient liquid handling Backplate :-Thick-walled solid injection-molded polypropylene, Cage Ring :-Enhances mechanical strength of the casing, Bearing Frame :- Heavy cast iron construction, Precision-machined to minimize shaft deflection,... **Make:** ANTICORROSIVE EQUIPMENTS

**Ageing:** 10.76 years

**Sold By:** SUDARSHAN CHEMICAL INDUSTRIES LIMITED



**SKU:** PLKF150100

**MS Teflon Line Reducing Flange 6X4**

**Stock:** 2

**Categories:** Misc Items, Misc Items > Lot Disposal

**Description:** Materials :- Lining Material :- Virgin PTFE or PFA (for DN 250 to DN 400), Antistatic Lining :- PTFE/PFA (for DN 250 to DN 400), Temperature Limitations :-The PTFE lined flange, pipe, and fitting assemblies are limited for use from -28°C to 260°C, Temperature limitations may change based on aggressive environments, Construction of Materials :- PTFE Properties, Maximum continuous service temperature :- 260°C, Chemical inertness :- Resists most chemicals, Coefficient of friction :- Low...

**Ageing:** 0.36 years

**Sold By:** SUDARSHAN CHEMICAL INDUSTRIES LIMITED



**SKU:** PQCRN50647

**Spare Pump shaft L=472 CR 64-3-2-A-F-A-E**

**Stock:** 1

**Categories:** Misc Items, Misc Items > Lot Disposal

**Description:** CR64, Application: - It is designed for use in a horizontal one-pipe system, Materials :- The pump head and base are made of cast iron, while all other wetted parts are stainless steel, Seal Type :- It features a cartridge shaft seal for high reliability and easy service, Motor :- Equipped with a 3-phase, fan-cooled asynchronous motor, Energy Efficiency :- Carries the Grundfos Blueflux® label, meeting or exceeding energy efficiency requirements, Coating :- Components have an epoxy-based coating... **Make:** Grundfos

**Ageing:** 4.65 years

**Sold By:** SUDARSHAN CHEMICAL INDUSTRIES LIMITED



**SKU:** VDQD041800

**PP Damper valve 250 MM OD F table Flange**

**Stock:** 1

**Categories:** Misc Items, Misc Items > Lot Disposal

**Description:** MOC-PP, 250 mm OD, PP Damper valve 250 MM OD F table Flange

**Ageing:** 2.61 years

**Sold By:** SUDARSHAN CHEMICAL INDUSTRIES LIMITED



**SKU:** XDINOKD612

**Seal ring silicon carbide KD60 235493**

**Stock:** 2

**Categories:** Misc Items, Misc Items > Lot Disposal

**Description:** Molecular Weight :-40.1, Appearance :- Black, Melting Point :-2,730° C (4,946° F) (decomposes), Density :- 3.0 to 3.2 g/cm3, Electrical Resistivity :- 1 to 4 10x m, Poisson's Ratio :- 0.15 to 0.21, Specific Heat :- 670 to 1180 J/kg-K.

**Ageing:** 3.34 years

**Sold By:** SUDARSHAN CHEMICAL INDUSTRIES LIMITED



**SKU:** XGG0021300

**PFA Lined MS Fabricated Agitator 1KL GLR**

**Stock:** 1

**Categories:** Misc Items, Misc Items > Lot Disposal

**Description:** FA :-lined MS (Mild Steel) fabricated agitator with a 1,000-liter glass :-lined reactor (GLR) , Measuring tube:- Stainless Steel 304, Coil housing :- Carbon Steel (standard), Stainless Steel 304 (option), or Stainless Steel 316 (option) , Electrode materials :- Stainless Steel 316L, Hastelloy B, Hastelloy C, Titanium, Tantalum, Tungsten Carbide, Platinum, Temperature range: -25°C to 60°C, Max pressure :- 16 kgf/cm<sup>2</sup> (standard), 40 kgf/cm<sup>2</sup> (explosion-proof option) , Installation options:..., **Make:** PAP-FLON ENTERPRISE0

**Ageing:** 6.27 years

**Sold By:** SUDARSHAN CHEMICAL INDUSTRIES LIMITED



**SKU:** XGG0164003

**FRVES Dip Pipe 80NB as per DRW. 17/044**

**Stock:** 2

**Categories:** Misc Items, Misc Items > Lot Disposal

**Description:** 80NB FRVES dip pipe as per drawing 17/044 would typically include details such as material, dimensions, pressure ratings, and any specific standards it must meet, Generally for ductile iron pipes (DIP), Material:- Ductile iron, Nominal Bore (NB):- 80mm , Pressure Rating:- Varies but often specified in terms of pressure classes (e.g., PN10, PN16)

**Ageing:** 6.1 years

**Sold By:** SUDARSHAN CHEMICAL INDUSTRIES LIMITED



**SKU:** XP4TH00200

**FEED SCREW MS SET OF 3 FOR 4-TH**

**Stock:** 1

**Categories:** Misc Items, Misc Items > Lot Disposal

**Description:** CS FEP-lined reducing flange with dimensions :- 8" x 3", Flange Type :- Welding neck flange, Material :- Carbon Steel (conforms to ASTM A516 GR 70 or SAE 1010-1030), Lining Material :- FEP (Fluorinated Ethylene Propylene), Class Rating :- ANSI B16.5 Class 300, Vacuum Rating :- Full vacuum rated up to 450°F for sizes 1" to 8"&10" and 12" are not vacuum rated, Bolt Hole Configuration :- Minor size bolt holes are threaded, Major size bolt holes may be threaded or through holes, depending on the..., **Make:** RIECO INDUSTRIES LTD.

**Ageing:** 7.57 years

**Sold By:** SUDARSHAN CHEMICAL INDUSTRIES LIMITED



**SKU:** XPCETP0030

**Impeller SS316 kbl mf 25/25**

**Stock:** 1

**Categories:** Misc Items, Misc Items > Lot Disposal

**Description:** APPLICATIONS :- Air-conditioning, Drainage :- Irrigation ,Storm water, SPECIFICATIONS :- Delivery size :- 200 mm to 650 mm (8 to 26), Capacity :-7000 m<sup>3</sup>/hr (30,820 US gpm), Head :- 30 metres (90 ft.), Temperature :- 5° C to 140° C Head up to 30 metres (90 ft.) FEATURES :- Low head, high capacity pumps, Gland packed:- mechanical seal, 50HZ/60HZ availability Option available in horizontal as well as vertical delivery position, Temperature :- 5° C to 140° C .

**Ageing:** 2.75 years

**Sold By:** SUDARSHAN CHEMICAL INDUSTRIES LIMITED





**SKU:** XV30016200

**TAIL SHAFT SS316 AS PER DRW.NO.16/012**

**Stock:** 1

**Categories:** Misc Items, Misc Items > Lot Disposal

**Description:** SS316, also known as AISI 316 is an austenitic stainless steel alloy, Chemical Composition (ASTM A276/A276M and ASTM A240/A240M) : -Carbon © : ? 0.08%, Silicon (Si) :- 1.00%, Manganese (Mn) :- 2.00%, Phosphorus (P) : - 0.045%, Sulfur (S):- 0.030%, Chromium (Cr):- 16.0-18.0%, Nickel (Ni) :- 10.0-14.0%, Molybdenum (Mo):- 2.00-3.00%, Mechanical Properties :-25.4 mm diameter bar, Tensile Strength: - 580 MPa , Yield Strength (0.2% offset) : - 290 MPa, Elongation : - 50%, Hardness (HBW) : - 79 HRB..

**Ageing:** 8.16 years

**Sold By:** SUDARSHAN CHEMICAL INDUSTRIES LIMITED



**SKU:** XV60KTL045

**AGITATOR MSRL KTL-45 DRAWING17/005 60KL**

**Stock:** 1

**Categories:** Misc Items, Misc Items > Lot Disposal

**Description:** MOC:- MSRL .

**Ageing:** 6.73 years

**Sold By:** SUDARSHAN CHEMICAL INDUSTRIES LIMITED



**SKU:** XVSPARG114

**STEAM SPARGER; 3m length, 4" dia, Mat of cons: MSRL**

**Stock:** 4

**Categories:** Misc Items, Misc Items > Lot Disposal

**Description:** sparger design is consists of single hole with diameter 5.0 mm located at the center, 4 holes with diameter 2.6 mm distributed on a cross, 760 holes with diameter 0.5 mm, 361 holes with diameter 0.5 mm, 361 holes with diameter 1.25 mm, and 81 holes with diameter 0.5 mm in circular rings with 1.5 cm

**Ageing:** 6.42 years

**Sold By:** SUDARSHAN CHEMICAL INDUSTRIES LIMITED



**SKU:** XVSPARG115

**STEAM SPARGER MSRL SKETCH NO. 17/018**

**Stock:** 4

**Categories:** Misc Items, Misc Items > Lot Disposal

**Description:** MOC :- MSRL, Steam sparger MSRL sketch no:- 17/018, Steam spargers are devices used to inject steam into liquids for heating or agitation purposes, They are commonly used in industries such as food processing, pharmaceuticals, and chemical manufacturing, Here are some typical specifications and features you might find in a steam sparger, Material :- Often made from stainless steel or other corrosion-resistant materials, Design :- Can include porous metal elements to create fine steam bubbles,...

**Ageing:** 6.42 years

**Sold By:** SUDARSHAN CHEMICAL INDUSTRIES LIMITED



**SKU:** XVSPARG116

**PAP-FLON ENTERPRISE-311.15cm, 80 NB**

**Stock:** 2

**Categories:** Misc Items, Misc Items > Lot Disposal

**Description:** Sparger :-Pipe PTFE Length 4250 MML, Body :- Seamless CS/SS ASTM A106, Flange :- IS 2062 / ASTM A105 Gr. B, Lining :- PTFE (Inside & Outside), Dip Pipe Angle :- 12° , Suitable for non-agitated services up to 350°F2. PTFE Lined Dip-Pipes & Spargers :- Used in chemical, petrochemical, and oil & gas industries, Available in :- carbon steel, stainless steel, and special alloys., **Make:** PAP-FLON ENTERPRISE

**Ageing:** 3.65 years

**Sold By:** SUDARSHAN CHEMICAL INDUSTRIES LIMITED



**SKU:** PMPW065026

**PUMP SHAFT WILO 65/160**

**Stock:** 1

**Categories:** Misc Items, Misc Items > Lot Disposal

**Description:** Wilo 65/160 pump, Max Temperature Range: -10°C to 120°C (14°F to 248°F), Ambient Temperature Range: 0°C to 40°C (32°F to 104°F), Single-phase: 115V, 230V, Three-phase: 208-230V, 460V, 575V, Max Working Pressure: 145 PSI (10 Bar), **Make:** VARTAK PUMPS & PROJECTS

**Ageing:** 3.32 years

**Sold By:** SUDARSHAN CHEMICAL INDUSTRIES LIMITED